

Convection LW 20 GN 2/1-gas

Electrolux air-o-convect blends tradition with the latest technological research in order to satisfy the creativity and working requirements of today's professional kitchen. The air-o-convect range offers a choice of different models, providing a high degree of automation and an extensive range of accessories. The air-o-convect convection ovens with direct steam are designed to form complete cook&chill systems together with air-o-chill blast chillers/freezers, therefore, any installation can be tailored to meet the needs of the caterer. The air-o-convect ovens detailed are 20 GN 2/1 gas models.



269705

OPERATING MODES

- Convection cycle (max. 300 °C) with automatic moistener (11 settings): 0 no additional moisture (browning and gratinating); 1-2 low moisture (stewed vegetables); 3-4 medium-low moisture (au gratin vegetables, roasted meat and fish); 5-6 medium moisture (all small portions of meat and fish); 7-8 medium-high moisture (large pieces of red meat); 9-10 high moisture (large pieces of white meat, baking and pre-cooked food regeneration).
- air-o-convect ovens can cook by controlling either the cooking time or the product's core temperature through a single-sensor probe.

- Fan speeds: full and PULSE (pulse ventilation for baking and low temperature cooking). The "PULSE function" is also perfect for keeping food warm at the end of the cooking cycle and for low temperature cooking of large pieces of meat.
- Exhaust valve electronically controlled to extract excess humidity.
- air-o-clean: 4 different pre-set cycles to clean the cooking cell, according to the actual requirements. The cleaning system is built-in (no need for add-ons). Semi-automatic cleaning cycle also available.

- Quick cooling: useful when passing to a type of cooking that requires a lower temperature than the previous one. It works automatically and manually.
- Manual injection of water in the cell.

PERFORMANCE

- air-o-flow: blows fresh air from outside through the bi-functional fan, which pulls the air in from the backside of the oven after it is pre-heated, thus guaranteeing an even cooking process.
- Single-sensor food probe.
- NXT cell gas burner: GASTEC certification on high efficiency and low emissions. High efficiency cell heat exchanger.

**Electrolux air-o-convect
Convection LW 20 GN 2/1-gas**

CONSTRUCTION

- Stainless steel 304 throughout, with seamless joints in the cooking cell.
- Height adjustable legs.
- Double thermo-glazed door equipped with drip pans to catch condensate and prevent slippery floor for maximum security and four holding positions allowing easier loading and unloading.

- Halogen lighting in the cooking cell.
- Access to main components from the front panel.
- IPX5 water protection.
- air-o-convect ovens meet GASTEC safety requirements.

	AOS202GCG2 269705	AOS202GCD2 269715
TECHNICAL DATA		
Power supply	Gas	Gas
Gas	Natural Gas	LPG
Number of grids	20	20
Runners pitch - mm	63	63
Cooking cycles - °C		
air-convection	300	300
Convection	●	●
Meat probe	●	●
Semi-automatic cleaning cycle	●	●
External dimensions - mm		
width	1243	1243
depth	1107	1107
height	1795	1795
Internal dimensions - mm		
width	933	933
depth	830	830
height	1450	1450
Power - kW		
auxiliary	2	2
cooking chamber	55	55
gas	55	55
auxiliary	2	2
Net weight - kg.	378	378
Supply voltage	230 V, 1N, 50/60	230 V, 1N, 50/60

**Electrolux air-o-convect
Convection LW 20 GN 2/1-gas**

	AOS202GCG2 269705	AOS202GCD2 269715
INCLUDED ACCESSORIES		
CONTROL PANEL FILTER-20 GN2/1 OVENS-LW	1	1
DOOR SHIELD 20 2/1-PRE-HEAT W/O TROLLEY	1	1
TROLLEY TRAY RACK 20X2/1GN,63MM PITCH-LW	1	1
ACCESSORIES		
1 GRID GN1/1 FOR 8 WHOLE CHICKENS(1.2KG)	922266	922266
2 FAT FILTERS FOR 20X1/1 & 2/1 OVEN	922179	922179
2 FRYING BASKETS FOR OVENS	922239	922239
2 GRIDS GN 1/1 FOR CHICKENS (8 PER GRID)	922036	922036
ADJUSTABLE WHEELS FOR 20GN LW OVENS	922280	922280
AUTOMATIC WATER SOFTENER FOR OVENS	921305	921305
BAKING TRAY FOR BAGUETTE GN 1/1	922288	922288
BAKING TRAY(400X600X20)4 EDGES-ALUMINIUM	922191	922191
BAKING TRAY(400X600X20)4 EDGES-PERF.ALUM	922190	922190
BANQ.TROLLEY-92PLATES-85MM PITCH-20GN2/1	922055	922055
BASKET FOR DETERGENT TANK-WALL MOUNTED	922209	922209
DOOR SHIELD 20 2/1-PRE-HEAT W/O TROLLEY	922095	922095
EGG FRYER FOR 8 EGGS - GN 1/1	922290	922290
EXTERNAL REVERSE OSMOSIS FILTER FOR OVEN	922316	922316
EXTERNAL SIDE SPRAY UNIT	922171	922171
FLUE CONDENSER FOR GAS OVENS-LW	922235	922235
HEAT SHIELD FOR 20 GN 2/1 OVENS	922242	922242
KIT INTEGRATED HACCP FOR OVENS	922275	922275
KIT TO CONVERT FROM LPG TO NATURAL GAS		922278
KIT TO CONVERT FROM NATURAL GAS TO LPG	922277	
NON-STICK U-PAN GN 1/1 H=20 MM	922090	922090
NON-STICK U-PAN GN 1/1 H=40 MM	922091	922091
NON-STICK U-PAN GN 1/1 H=60 MM	922092	922092
OVEN GRILL (ALUMINIUM) GN 1/1	922289	922289
PAIR OF 1/1GN AISI 304 S/S GRIDS	922017	922017
PAIR OF 2/1 GN AISI 304 S/S GRIDS	922175	922175
PASTRY TROLLEY 16(400X600)80MM-20 2/1 LW	922069	922069
RESIN SANITIZER FOR WATER SOFTENER	921306	921306
RETRACT. SPRAY UNIT-20 GN1/1& 2/1 OVENS	922263	922263
THERMAL COVER FOR 20 GN 2/1-LW	922049	922049
TRAY(400X600X38)5 ROWS-PERF.ALUM/SILICON	922189	922189
TROLLEY TRAY RACK 16X2/1GN,80MM PITCH-LW	922046	922046
TROLLEY TRAY RACK 20X2/1GN,63MM PITCH-LW	922044	922044
WATER FILTER FOR 20 2/1 OVENS 1.8 L/MIN.	922104	922104


EBB0050

2011-06-10

Subject to change without notice

Electrolux air-o-convect
Convection LW 20 GN 2/1-gas

269705, 269715



EBB0050

2011-06-10

LEGEND	AOS202GCG2 269705	AOS202GCD2 269715
	3/4"	3/4"
CWI - Cold water inlet	3/4"	3/4"
D - Water drain	2"	2"
EI - Electrical connection	230 V, 1N, 50/60	230 V, 1N, 50/60
G - Gas connection	1"	1"
WIC - Cooling water inlet	3/4"	3/4"