

## Freestanding Gas Fryers

The 700XP range is comprised of over 100 models designed to guarantee the highest level of performance, reliability, energy saving, safety standards and ergonomic operation. These concepts are reflected throughout the line in its modularity, construction and numerous configurations: countertop (on base or table), free-standing, on concrete or stainless steel socle, bridged or cantilever. Thanks to its advance technology and premium performance, 700XP is a perfect solution for institutions of small sizes with limited footprint as well as restaurants needing to obtain the most from the kitchen space. The models detailed in this sheet are freestanding gas fryers.



371069

### EASY TO INSTALL

- Main connections are accessible from below the base of the unit.
- Access to all components from the front.

### EASY TO CLEAN

- Deep drawn V-Shaped well with rounded corners and external burners for safe and easy cleaning.
- One piece pressed worktop in 1,5mm stainless steel with smooth, rounded corners.
- Exterior panels in stainless steel with Scotch Brite finish.
- All models have right-angled, laser cut side edges to allow flush-fitting joins between units eliminating gaps and possible dirt traps.

- Oil drainage via a tap into a drainage container positioned under the well thus simplifying the consumed oil management and guaranteeing the operator safety.
- Feet in stainless steel are adjustable up to 50mm in height.

### EASY TO USE

- The freestanding gas fryer with V-Shaped well is ideal for kitchens needing a versatile, efficient and easy to clean unit capable of cooking numerous portions time after time. The V-Shaped well is equipped with high efficiency external burners guaranteeing a longer oil life (compared to fryers with burners inside the well) as well as a uniform distribution of heat.

- Stainless steel burners with optimized combustion, flame failure device and protected pilot light.
- Thermostatic regulation of oil temperature from 105°C to 185°C.
- Overheat safety thermostat.
- Piezo spark ignition for added safety.
- All gas appliances are supplied for use with natural gas or LPG. Conversion jets supplied as standard.

### EASY TO MAINTAIN

- IPX4 water protection.
- The special design of the control knobs and bezels guarantees against water infiltration.

**700XP**  
**Freestanding Gas Fryers**

**EASY ON THE ENVIRONMENT**

- 98% recyclable by weight.
- CFC free packaging.

CHEB010

2011-10-11

|                                 | <b>E7FRGD1BF0<br/>371068</b> | <b>E7FRGH2BF0<br/>371069</b> | <b>E7FRGD1GF0<br/>371070</b> | <b>E7FRGH2GF0<br/>371071</b> |
|---------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| <b>TECHNICAL DATA</b>           |                              |                              |                              |                              |
| Power supply                    | Gas                          | Gas                          | Gas                          | Gas                          |
| External dimensions - mm        |                              |                              |                              |                              |
| width                           | 400                          | 800                          | 400                          | 800                          |
| depth                           | 730                          | 730                          | 730                          | 730                          |
| height                          | 850                          | 850                          | 850                          | 850                          |
| height adjustment               | 50                           | 50                           | 50                           | 50                           |
| N° of wells                     | 1                            | 2                            | 1                            | 2                            |
| Usable well dimensions - mm     |                              |                              |                              |                              |
| width                           | 240                          | 240                          | 240                          | 240                          |
| depth                           | 380                          | 380                          | 380                          | 380                          |
| height                          | 235                          | 235                          | 505                          | 505                          |
| Temperature limiter             | ●                            | ●                            | ●                            | ●                            |
| Thermostat range (min-max) - °C | 105, 185                     | 105, 185                     | 105, 185                     | 105, 185                     |
| Maximum Well Capacity -lt       | 5.5, 7                       | 5.5, 7                       | 13, 15                       | 13, 15                       |
| Power - kW                      |                              |                              |                              |                              |
| gas                             | 7                            | 14                           | 14                           | 28                           |
| Net weight - kg.                | 40                           | 50                           | 55                           | 85                           |

Subject to change without notice

**700XP**  
**Freestanding Gas Fryers**

|                                          | <b>E7FRGD1BF0<br/>371068</b> | <b>E7FRGH2BF0<br/>371069</b> | <b>E7FRGD1GF0<br/>371070</b> | <b>E7FRGH2GF0<br/>371071</b> |
|------------------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| <b>INCLUDED ACCESSORIES</b>              |                              |                              |                              |                              |
| BASKET FOR 14/15 LT FRYERS               |                              |                              | 1                            | 2                            |
| BASKET FOR 7 LT FRYERS                   | 1                            | 2                            |                              |                              |
| DOOR FOR OPEN BASE CUPBOARD-ELUX         | 1                            | 2                            | 1                            | 2                            |
| <b>ACCESSORIES</b>                       |                              |                              |                              |                              |
| 2 1/2 BASKETS FOR 12, 14 AND 15L FRYERS  |                              |                              | 921692                       | 921692                       |
| 2 BASKETS FOR 2X5 LT AND 7 LT FRYERS     | 960638                       | 960638                       |                              |                              |
| 2 SIDE COVERING PANELS H=700 D=700-ELUX  | 216000                       | 216000                       | 216000                       | 216000                       |
| 2 SIDE KICKING STRIPS - 700 LINE         | 206249                       | 206249                       | 206249                       | 206249                       |
| 2 SIDE KICKING STRIPS-CONCRETE INST-700  | 206265                       | 206265                       | 206265                       | 206265                       |
| 4 FEET FOR CONCRETE INSTALLATION         | 206210                       | 206210                       | 206210                       | 206210                       |
| BASKET FOR 14/15 LT FRYERS               |                              |                              | 921691                       | 921691                       |
| BASKET FOR 7 LT FRYERS                   | 921608                       | 921608                       |                              |                              |
| CHIMNEY UPSTAND 400MM                    | 206303                       |                              | 206303                       |                              |
| CHIMNEY UPSTAND 800MM                    |                              | 206304                       |                              | 206304                       |
| DEFLECTOR FOR FLOURED PRODUCTS-15L FRYER |                              |                              | 921696                       | 921696                       |
| DOOR FOR OPEN BASE CUPBOARD-ELUX         | 206350                       | 206350                       | 206350                       | 206350                       |
| DRAUGHT DIVERTER WITH 120 MM DIAMETER    | 206126                       |                              | 206126                       |                              |
| DRAUGHT DIVERTER WITH 150 MM DIAMETER    |                              | 206132                       |                              | 206132                       |
| FILTER FOR FRYER OIL COLLECTION BASIN    |                              | 921693                       | 921693                       | 921693                       |
| FLANGED FEET KIT                         | 206136                       | 206136                       | 206136                       | 206136                       |
| FLUE CONDENSER FOR 1 MODULE DIAM.150MM   |                              | 206246                       |                              | 206246                       |
| FLUE CONDENSER FOR 1/2 MOD. DIAM.120MM   | 206310                       |                              | 206310                       |                              |
| FRONT.KICK.STRIP F.CONCRETE INST.1000 MM | 206150                       | 206150                       | 206150                       | 206150                       |
| FRONT.KICK.STRIP F.CONCRETE INST.1200 MM | 206151                       | 206151                       | 206151                       | 206151                       |
| FRONT.KICK.STRIP F.CONCRETE INST.1600 MM | 206152                       | 206152                       | 206152                       | 206152                       |
| FRONT.KICK.STRIP F.CONCRETE INST.200 MM  | 206146                       | 206146                       | 206146                       | 206146                       |
| FRONT.KICK.STRIP F.CONCRETE INST.400 MM  | 206147                       | 206147                       | 206147                       | 206147                       |
| FRONT.KICK.STRIP F.CONCRETE INST.800 MM  | 206148                       | 206148                       | 206148                       | 206148                       |
| FRONTAL HANDRAIL 1200 MM                 | 216049                       | 216049                       | 216049                       | 216049                       |
| FRONTAL HANDRAIL 1600 MM                 | 216050                       | 216050                       | 216050                       | 216050                       |
| FRONTAL HANDRAIL 400 MM                  | 216046                       |                              | 216046                       |                              |
| FRONTAL HANDRAIL 800 MM                  | 216047                       | 216047                       | 216047                       | 216047                       |
| FRONTAL KICKING STRIP 1000 MM            | 206177                       | 206177                       | 206177                       | 206177                       |
| FRONTAL KICKING STRIP 1200 MM            | 206178                       | 206178                       | 206178                       | 206178                       |
| FRONTAL KICKING STRIP 1600 MM            | 206179                       | 206179                       | 206179                       | 206179                       |
| FRONTAL KICKING STRIP 200 MM             | 206174                       | 206174                       | 206174                       | 206174                       |
| FRONTAL KICKING STRIP 400 MM             | 206175                       | 206175                       | 206175                       | 206175                       |
| FRONTAL KICKING STRIP 800 MM             | 206176                       | 206176                       | 206176                       | 206176                       |
| LARGE HANDRAIL(PORTIONING SHELF)400 MM   | 216185                       | 216185                       | 216185                       | 216185                       |
| LARGE HANDRAIL(PORTIONING SHELF)800 MM   | 216186                       | 216186                       | 216186                       | 216186                       |
| MATCHING RING FOR FLUE CONDENSER 150DIAM |                              | 206133                       |                              | 206133                       |
| MATCHING RING-FLUE CONDENSER 120-130DIAM | 206127                       |                              | 206127                       |                              |
| PRESSURE REGULATOR FOR GAS UNITS         | 927225                       | 927225                       | 927225                       | 927225                       |
| SEDIMENT TRAY FOR 15 LT FRYER            |                              |                              | 206235                       | 206235                       |
| SIDE HANDRAIL-RIGHT/LEFT HAND-700 LINE   | 206307                       | 206307                       | 206307                       | 206307                       |
| UNCLOGGING ROD F.15LT FRYER DRAIN.PIPE   |                              |                              | 921695                       | 921695                       |


CHEB010

2011-10-11

Subject to change without notice

700XP  
Freestanding Gas Fryers

371068



LEGEND

G - Gas connection

E7FRGD1BF0  
371068

1/2"


Subject to change without notice

CHEB010

2011-10-11

700XP  
Freestanding Gas Fryers

371069



LEGEND

G - Gas connection

E7FRGH2BF0  
371069

1/2"


CHEB010

2011-10-11

Subject to change without notice

700XP  
Freestanding Gas Fryers

371070



LEGEND

G - Gas connection

E7FRGD1GF0  
371070

1/2"


CHEB010

2011-10-11

Subject to change without notice

700XP  
Freestanding Gas Fryers

371071



LEGEND

G - Gas connection

E7FRGH2GF0  
371071

1/2"

CHEB010

2011-10-11

Subject to change without notice