

700XP

4 Burner Freestanding Gas Ranges

The 700XP range is comprised of over 100 models designed to guarantee the highest level of performance, reliability, energy saving, safety standards and ergonomic operation. These concepts are reflected throughout the line in its modularity, construction and numerous configurations: countertop (on base or table), free-standing, on concrete or stainless steel plinth, bridged or cantilever. Thanks to its advance technology and premium performance, 700XP is a perfect solution for institutions of small sizes with limited footprint as well as restaurants needing to obtain the most from the kitchen space. The models detailed in this sheet are 4 burners gas ranges on gas or electric oven.



371002

EASY TO INSTALL

- Main connections are accessible from below the base of the unit.
- Access to all components from the front.

EASY TO CLEAN

- One piece pressed worktop in 1,5mm stainless steel with smooth, rounded corners.
- Exterior panels in stainless steel with Scotch Brite finish.
- All models have right-angled, laser cut side edges to allow flush-fitting of units side-by-side thus eliminating gaps and possible dirt traps.
- Pan supports are in cast iron.
- Optional accessory twin burner stainless steel pan support available (washable in a dishwasher).

- Recessed, double skinned, insulated door for air-tight closure and better hygiene.
- Oven cavity in stainless steel with vitreous enamelled ribbed base plate to allow for the direct placement of pans.
- Feet in stainless steel adjustable up to 50mm in height.

EASY TO USE

- The freestanding gas burner range is ideal for kitchens needing a flexible, powerful and efficient cooking top on static oven.
- High efficiency flower flame burners allow for the flame to be precisely regulated and provide the proper amount of heat to pots and pans of different sizes (from a minimum of 10cm in diameter to a maximum of 40cm diameter).

- Each burner has:
 - 5,5 kW (with continuous flame regulation from 1,1kW to 5,5kW)
 - Flame failure device to protect against accidental extinguishing of the flame.
 - Protected pilot light.
- All gas appliances are supplied for use with natural gas, LPG or town gas. Conversion jets supplied as standard.
- Gas oven with stainless steel, tubular, high efficiency, atmospheric burners positioned below the base plate and thermostat adjustable from 110° to 270°C.



Electrolux

700XP
4 Burner Freestanding Gas Ranges

- Single central burner with optimized combustion, maximum power 6 kW and flame failure device. Piezo ignition.
- Electric oven with switch knob to control top and bottom heating elements. Oven thermostat adjustable from 140° to 300°C and power of 6 kW.
- Stainless steel oven chamber with 3 levels of runners to accommodate 2/1GN shelves.

EASY TO MAINTAIN

- IPX4 water protection.
- The special design of the control knobs and bezels guarantees against water infiltration.

EASY ON THE ENVIRONMENT

- 98% recyclable by weight.
- CFC free packaging.

CHAB010

	E7GCGH4CG0 371002	E7GCGH4CE0 371003	E7GCGH4CEN 371125
TECHNICAL DATA			
Power supply	Gas	Gas/Electric	Gas/Electric
External dimensions - mm			
width	800	800	800
depth	730	730	730
height	850	850	850
height adjustment	50	50	50
Oven cavity - mm			
width	540	540	540
depth	650	650	650
height	300	300	300
Oven			
temperature min-max - °C	110, 270	140, 300	140, 300
Oven			
heat input - kW	6	6	6
Back burner dimensions - mm	Ø 60, Ø 60	Ø 60, Ø 60	Ø 60, Ø 60
Back burners power - kW	5.5, 5.5	5.5, 5.5	5.5, 5.5
Front burners dimension - mm	Ø 60, Ø 60	Ø 60, Ø 60	Ø 60, Ø 60
Front burners power - kW	5.5, 5.5	5.5, 5.5	5.5, 5.5
Power - kW			
gas	28	22	22
installed-electric		6	6
Net weight - kg.	80	80	80
Supply voltage		400 V, 3N, 50/60	230 V, 3, 50/60

2011-07-07

Subject to change without notice

700XP
4 Burner Freestanding Gas Ranges

	E7GCGH4CG0 371002	E7GCGH4CE0 371003	E7GCGH4CEN 371125
INCLUDED ACCESSORIES			
2/1 GN CHROME GRID	1	1	1
ACCESSORIES			
2 SIDE COVERING PANELS H=700 D=700-ELUX	216000	216000	216000
2 SIDE KICKING STRIPS - 700 LINE	206249	206249	206249
2 SIDE KICKING STRIPS-CONCRETE INST-700	206265	206265	206265
2/1 GN CHROME GRID	164250	164250	164250
4 FEET FOR CONCRETE INSTALLATION	206210	206210	206210
4 WHEELS (2 WITH BRAKE)	206188	206188	206188
CHIMNEY UPSTAND 800MM	206304	206304	206304
DOUBLE BURNER RIBBED PLATE - 700 LINE	921685	921685	921685
DOUBLE BURNER SMOOTH PLATE - 700 LINE	921684	921684	921684
DRAUGHT DIVERTER WITH 150 MM DIAMETER	206132	206132	206132
FLANGED FEET KIT	206136	206136	206136
FLUE CONDENSER FOR 1 MODULE DIAM.150MM	206246	206246	206246
FRONT.KICK.STRIP F.CONCRETE INST.1000 MM	206150	206150	206150
FRONT.KICK.STRIP F.CONCRETE INST.1200 MM	206151	206151	206151
FRONT.KICK.STRIP F.CONCRETE INST.1600 MM	206152	206152	206152
FRONT.KICK.STRIP F.CONCRETE INST.200 MM	206146	206146	206146
FRONT.KICK.STRIP F.CONCRETE INST.400 MM	206147	206147	206147
FRONT.KICK.STRIP F.CONCRETE INST.800 MM	206148	206148	206148
FRONTAL HANDRAIL 1200 MM	216049	216049	216049
FRONTAL HANDRAIL 1600 MM	216050	216050	216050
FRONTAL HANDRAIL 800 MM	216047	216047	216047
FRONTAL KICKING STRIP 1000 MM	206177	206177	206177
FRONTAL KICKING STRIP 1200 MM	206178	206178	206178
FRONTAL KICKING STRIP 1600 MM	206179	206179	206179
FRONTAL KICKING STRIP 200 MM	206174	206174	206174
FRONTAL KICKING STRIP 400 MM	206175	206175	206175
FRONTAL KICKING STRIP 800 MM	206176	206176	206176
LARGE HANDRAIL(PORTIONING SHELF)400 MM	216185	216185	216185
LARGE HANDRAIL(PORTIONING SHELF)800 MM	216186	216186	216186
MATCHING RING FOR FLUE CONDENSER 150DIAM	206133	206133	206133
PRESSURE REGULATOR FOR GAS UNITS	927225		
S/S GRID FOR DOUBLE BURNER-700 LINE	206297	206297	
SIDE HANDRAIL-RIGHT/LEFT HAND-700 LINE	206307	206307	206307
SINGLE BURNER RADIANT PLATE - 700 LINE	206264	206264	206264
SINGLE BURNER RIBBED PLATE - 700 LINE	206261	206261	206261
SINGLE BURNER SMOOTH PLATE - 700 LINE	206260	206260	206260
WATER COLUMN EXTENSION FOR 700 LINE	206291	206291	206291
WATER COLUMN WITH SWIVEL ARM	206289	206289	206289




CHAB010

2011-07-07

Subject to change without notice

700XP
4 Burner Freestanding Gas Ranges

371002



LEGEND

G - Gas connection

E7GCGH4CG0
371002

1/2"


CHAB010

2011-07-07

Subject to change without notice

700XP
4 Burner Freestanding Gas Ranges

371003, 371125



LEGEND	E7GCGH4CE0 371003	E7GCGH4CEN 371125
	400 V, 3N, 50/60	230 V, 3, 50/60
G - Gas connection	$\frac{1}{2}''$	$\frac{1}{2}''$

CHAB010

2011-07-07

Subject to change without notice